

EPA Official Record

Notes ID: 9F97421B12638F78380C8BC2B10021B8
From: Chris Hill <chris.hill@chk.com>
To: Robert Puls/ADA/USEPA/US@EPA
Copy To: John Satterfield <john.satterfield@chk.com>
Delivered Date: 10/14/2011 11:38 AM EDT
Subject: RE: pad clearing of trees

Bob,

To summarize our conversation this morning, CHK is more than happy to initiate pad clearing and construction as soon as possible to accommodate the EPA's Haynesville Prospective Study. You have approved the construction of the pad site, and I will notify CHK Operations to begin pad construction immediately. I will keep you posted on the progress of construction.

Please let me know if you have any questions.

Thanks,

Chris

From: Puls.Robert@epamail.epa.gov [mailto:Puls.Robert@epamail.epa.gov]
Sent: Tuesday, October 11, 2011 9:00 PM
To: Chris Hill
Subject: pad clearing of trees

Can CHK clear the trees soon where the pad will be - this would greatly help with MW installation and piezometer installation and surveying

Robert W. Puls, Ph.D.
Agency Technical Lead, Hydraulic Fracturing Study
Ground Water and Ecosystems Restoration Division
National Risk Management Research Laboratory, USEPA
P.O. Box 1198 / 919 Kerr Research Dr.
Ada, OK 74820
puls.robert@epa.gov
580-436-8543 (phone)
405-323-8119 (mobile)

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that

is privileged, confidential and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).